



Manufacturers of Carpet Cleaning Equipment,
Chemicals, and Janitorial Supplies.
1651 Blalock, Houston, TX 77080
(713) 932-8293 * Fax (713) 932-7605

MATERIAL SAFETY DATA SHEET

AND SAFE HANDLING AND DISPOSAL INFORMATION

DATE: AUGUST 12, 2003

PRODUCT NAME: STAINLESS STEEL CLEANER & POLISH

SUPERSEDES: ALL PREVIOUS

PRODUCT NUMBER: 2013

PG 1/2

SECTION I - EMERGENCY CONTACTS

NAMCO MANUFACTURING INC. (713) 932-8293 OR (800) 634-5816

POISON CENTER: (800) 764-7661

SECTION II - MATERIAL IDENTIFICATION AND INFORMATION -

COMPONENTS-CHEMICAL NAMES AND COMMON NAMES

(HAZARDOUS COMPONENTS 1% OR GREATER;
CARCINOGENS 0.1% OR GREATER)

	CAS NUMBER	SARA III LIST	OSHA PEL (PPM)	ACGIH TLV (PPM)	CARCINOGEN REF. SOURCE**
PETROLEUM DISTILLATE	64742-54-5	NO	5MG\M3	5MG\M3	D
PETROLEUM DISTILLATE	8052-41-3	NO	100	100	D
ISOBUTANE/PROPANE BLEND	75-28-5	NO	800	800	D
	74-98-6	NO	1000	1000	D

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS -

BOILING POINT: N/A

SPECIFIC GRAVITY (WATER=1): CONCENTRATE ONLY= .856

VAPOR PRESSURE: PSIG @ 70° F (AEROSOLS): MAX 60

VAPOR PRESSURE: (NON-AEROSOLS)(MM HG AND TEMPERATURE): N/A

VAPOR DENSITY (AIR=1): N/E

SOLUBILITY IN WATER: INSOLUBLE

EVAPORATION RATE: N/E

WATER REACTIVE: NO

APPEARANCE & ODOR: CLEAR LIQUID, LEMON FRAGRANCE

SECTION IV - FIRE & EXPLOSION HAZARD DATA: CONTENTS UNDER PRESSURE

FLAMMABILITY AS PER USA FLAME PROJECTION TEST (AEROSOLS): FLAMMABLE >18 INCHES

AUTO IGNITION TEMPERATURE: N/E

FLASH POINT AND METHOD USED: N/A

EXTINGUISHER MEDIA: FOAM, DRY CHEMICAL, CARBON DIOXIDE

SPECIAL FIRE FIGHTING PROCEDURES: SELF-CONTAINED BREATHING APPARATUS

UNUSUAL FIRE AND EXPLOSION HAZARDS: DO NOT EXPOSE AEROSOLS TO TEMPERATURES ABOVE 130°F OR THE CONTAINER MAY RUPTURE

SECTION V - REACTIVITY HAZARD DATA -

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: OPEN FLAME, WELDING ARCS, HEAT, SPARKS

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2

HEALTH : 2
FIRE: : 2
REACTIVITY : 0
SPECIAL : 0

SECTION VI - HEALTH HAZARD DATA -**PRIMARY ROUTES OF ENTRY:** INHALATION AND SKIN ABSORPTION**ACUTE EFFECTS:****INHALATION:** EXCESSIVE INHALATION OF VAPORS CAN BE HARMFUL AND MAY CAUSE HEADACHE, DIZZINESS, ASPHYXIA, ANESTHETIC EFFECTS AND POSSIBLE UNCONSCIOUSNESS.**EYE CONTACT:** MILD IRRITATION**SKIN CONTACT:** MILD IRRITATION DUE TO DEFEATING OF THE SKIN**INGESTION:** POSSIBLE CHEMICAL PNEUMONITIS IF ASPIRATED INTO LUNGS. NAUSEA**CHRONIC EFFECTS:** (EFFECTS DUE TO EXCESSIVE EXPOSURE TO THE RAW MATERIALS OF THIS MIXTURE) MAY CAUSE CARDIAC ABNORMALITY, LIVER ABNORMALITIES, LUNG AND KIDNEY DAMAGE**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** MAY AGGRAVATE EXISTING EYE, SKIN, OR UPPER RESPIRATORY CONDITIONS.

SECTION VII – EMERGENCY FIRST AID PROCEDURES -**EYE CONTACT:** FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATED, SEEK MEDICAL ATTENTION**SKIN CONTACT:** WASH WITH SOAP AND WATER. IF IRRITATED, SEEK MEDICAL ATTENTION**INHALATION:** REMOVE TO FRESH AIR. RESUSCITATE IF NECESSARY. GET MEDICAL ATTENTION**INGESTION:** DO NOT INDUCE VOMITING. DRINK TWO LARGE GLASSES OF WATER. GET IMMEDIATE MEDICAL ATTENTION

SECTION VIII – CONTROL AND PROTECTIVE MEASURES –**RESPIRATORY PROTECTION (SPECIFY TYPE):** IF VAPOR CONCENTRATION EXCEEDS TLV, USE RESPIRATOR APPROVED BY NIOSH FOR ORGANIC VAPOR**PROTECTIVE GLOVES:** POLYETHYLENE GLOVES**EYE PROTECTION:** SAFETY GLASSES RECOMMENDED**VENTILATION REQUIREMENTS:** ADEQUATE VENTILATION TO KEEP VAPOR CONCENTRATION BELOW TLV.**OTHER PROTECTIVE CLOTHING AND EQUIPMENT:** EYEWASH STATION IF DESIRED**HYGIENIC WORK PRACTICES:** WASH WITH SOAP AND WATER BEFORE HANDLING FOOD. REMOVE CONTAMINATED CLOTHING

SECTION IX – PRECAUTIONS FOR SAFE HANDLING AND USE -**STEP TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:** ABSORB WITH SUITABLE MEDIUM. INCINERATE OR LANDFILL ACCORDING TO LOCAL, STATE OR FEDERAL REGULATIONS. DO NOT FLUSH TO SEWER.**WASTE DISPOSAL METHODS:** AEROSOL CANS WHEN VENTED TO ATMOSPHERIC PRESSURE THROUGH NORMAL USE, POSE NO DISPOSAL HAZARD.**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT STORE AT TEMPERATURES ABOVE 130° F**OTHER PRECAUTIONS AND OR SPECIAL HAZARDS:** KEEP OUT OF REACH OF CHILDREN. AVOID FOOD CONTAMINATION. AVOID BREATHING VAPORS. REMOVE IGNITION SOURCES
