

1474

C L R - CALCIUM LIME & RUST REMOVER
MATERIAL SAFETY DATA SHEET

EMERGENCY FIRST AID PROCEDURES:

Eye Contact: Immediately flush with water for at least 15 minutes. Contact physician.
Skin Contact: Immediately flush with water for at least 15 minutes. Contact physician.
Inhalation: Remove to fresh air immediately. If not breathing give artificial respiration. Contact physician.
Ingestion: DO NOT INDUCE VOMITING. Give large quantities of water. Contact physician.
Medical Conditions Aggravated by Exposure: None Expected.

SECTION 6 - REACTIVITY DATA

Stability: Stable
Incompatibility: Strong bases
Hazardous Decomposition Products: Will not decompose, thermal decomposition products may include toxic oxides or carbons.
Hazardous Polymerization: Will Not Occur

SECTION 7 - SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: No special clean up is necessary for small (less than 1 gallon) spills. Rinse area with water. For larger spills, dam the spill and adsorb material with earth, sand or similar inert material. May be carefully neutralized with lime or soda ash. Place adsorbed material in suitable containers and discard solid waste in accordance with federal, state and local regulations. After removal of the contaminated adsorbent, flush spill area with water.

SECTION 8 - SPECIAL PROTECTION

Respiratory Protection: Not required during normal usage
Ventilation: General room ventilation is normally adequate.
Protective Gloves: Wear plastic or rubber gloves.
Eye Protection: Not required during normal usage.
Other Protective Equipment: None required during normal usage

SECTION 9 - SPECIAL PRECAUTIONS OR COMMENTS

Precautions to be taken in Handling & Storing: Avoid exposure to excessive heat and prevent from freezing.
Other Precautions: None required.

Revision Date: September 2004

Prepared by: R. A. Gaudreault

Although the information and recommendations set forth herein are presented in good faith and believed to be correct as of the date prepared, Jelmar makes no representations as to the completeness or accuracy thereof. Information provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Jelmar be responsible for damages of any nature whatsoever resulting from the use of or reliance upon said information.
NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION HEREIN REFERS

**CLR - CALCIUM LIME & RUST REMOVER
MATERIAL SAFETY DATA SHEET**

OSHA requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4. Components present in this product which would require reporting under this statute are: Glycolic Acid

(Regulatory information continued)

The following components of this product are listed as extremely hazardous substances in 40 CFR Part 300 and are present at levels which could require reporting and emergency planning (SARA Title III Sections 302 & 304): Glycol Ethers

SARA Title III Sections 311 and 312:

Delayed Hazard:	No
Fire Hazard:	No
Immediate Health Hazard:	Yes (Irritant)
Reactive Hazard:	No
Sudden Release or Pressure Hazard:	No

National VOC Emissions Standards for Consumer Products: (40 CFR Parts 9 & 39)
Category: Non Applicable

STATE/LOCAL:

New Jersey: NJ Hazardous Substance = or > 1.0%: Ethylene Glycol n-Butyl Ether
 Pennsylvania: PA Hazardous Substance = or > 1.0%: Ethylene Glycol n-Butyl ether
 California: Prop 65: Not Listed

Cal Air Resources Board Classification: Not listed

SECTION 3 - PHYSICAL DATA

Boiling point:	93° C	Specific Gravity:	1.07 - 1.08
Vapor Pressure:	ND	Percent Volatiles:	80.3%
Vapor Density:	ND	Evaporation Rate:	< 1 (n-butyl acetate)
pH:	7 - 9	Biodegradability:	Yes
Solubility in Water:	Yes		
Appearance, Color & Odor:	Clear, green colored liquid, acidic aroma		

SECTION 4 - FIRE AND EXPLOSION DATA

Flash Point: <212° F (Meq. TCC)
 Extinguishing Media: Water, Carbon Dioxide, Dry Chemical or Foam
 Special Fire Fighting Procedures: None
 Unusual Fire & Explosion Hazards: None Expected

SECTION 5 - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE:

Eyes:	Can cause eye corrosion with ulceration
Skin:	May cause irritation with discomfort or rash, prolonged skin contact may cause ulceration
Inhalation:	Excessive inhalation may cause irritation of the respiratory passages
Ingestion:	May cause irritation of the gastrointestinal tract with abdominal pain, nausea, vomiting and diarrhea and corrosion of the mucous membranes.

**CLR - CALCIUM LIME & RUST REMOVER
MATERIAL SAFETY DATA SHEET**

JCL CL-12

This Material Safety Data Sheet is being provided to your company for the purpose of providing current health and safety information to your management and employees who work or may be exposed to this product. Please read the data provided and then provide it to those people at your company who have the responsibility to insure compliance with both Federal and State Right to Know regulations, and to those employees that request information on this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology and fire protection as necessary and/or appropriate to use and understand the data contained in this MSDS.

Federal Regulations: Parts 29 and 42 Code of Federal Regulations
State of Illinois Public Act 83-240

SECTION 1 - PRODUCT IDENTIFICATION

Manufacturer:	Jelmar	Emergency Phone Number:	(947) 675-8410
Address:	6550 W. Touhy Ave. Skokie, IL 60077	Emergency Contact:	Chemtrec (800) 424-9300
Chemical Name:	N/A		
Chemical Family:	Aqueous Acidic Solution		
Formula:	N/A - Mixture		
Common Name:	CLR		
DOT Classification:	ORM-D		
NFPA Rating System:	Health-3/Fammability 1/Reactivity 0		
UN #:	UN1760		
Calculated VOC:	2.48		

SECTION 2 - COMPOSITION INFORMATION

<u>Component</u>	<u>CAS#</u>	<u>PEL/TLV</u>	<u>%</u>
1. Water	7732-18-5	NE	68.77
2. Glycolic Acid	79-14-1	NE	10.15
3. Sulfamic Acid	5329-14-8	NH	3-8
4. Disodium Copryloxyphosphonate	68815-55-4	NE	4.7
5. Ethylene Glycol n-Butyl Ether	111-76-2	20 ppm TLV	1.4
6. Citric Acid	77-32-9	NE	1.4

ND = Not Determined

NE = Not Established

This product is a mixture for which no health hazard data exist. The hazard communication standard requires that such mixtures be assumed to present the same health hazard as do the components that constitute at least 1% of the mixture (0.1% for carcinogens) although OSHA has noted that the hazards of the individual components may be altered by including them in a mixture. Components of this product that are listed are present in quantities as defined in OSHA 29 CFR 1910.1200

REGULATORY INFORMATION

FEDERAL/NATIONAL:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986, as amended, and of 40 CFR 372 (for SARA 313): Glycolic Acid, Glycol Ethers